




BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCAM-30B-30B 30mm to 30mm Octagon (Micro) T-Clamp Bracket Assembly








Specifications:

Max. Static Clamp Load:
102 Nm [75 ft-lb]

Material: Aluminum

Features:

- Connects (2) 30mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Model Number

CPI-TCAM-30B-30B-M

Weight

.45 kg [.99 lb]

Dimensions and technical information are subject to change without notice

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-30B-45B 30mm to 45mm Octagon T-Clamp Bracket Assembly

Features:

- Connects 30mm and 45mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Specifications:

Max. Static Clamp Load:



45mm: 475 Nm [350 ft-lb]

30mm: 271 Nm [200 ft-lb]

Material: Aluminum



Can be configured as a connector between booms for added stability




Model Number	Weight
CPI-TCA-30B-45B	.80 kg [1.76 lb]

Dimensions and technical information are subject to change without notice



BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-30B-60B 30mm to 60mm Octagon T-Clamp Bracket Assembly




Specifications:


Max. Static Clamp Load:
 60mm: 746 Nm [550 ft-lb]
 30mm: 271 Nm [200 ft-lb]
Material: Aluminum

Features:


- Connects 30mm and 60mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



ALIGNMENT NUTS INCLUDED



Can be configured as a connector between booms for added stability



Model Number	Weight
CPI-TCA-30B-60B	1.23 kg [2.71 lb]

Dimensions and technical information are subject to change without notice

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications







TCA-45B-30B 45mm to 30mm Octagon T-Clamp Bracket Assembly

Features:

- Connects 45mm and 30mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.

Specifications:

Max. Static Clamp Load:
 45mm: 475 Nm [350 ft-lb]
 30mm: 271 Nm [200 ft-lb]
Material: Aluminum




Model Number	Weight
CPI-TCA-45B-30B	.91 kg [2.02 lb]

Dimensions and technical information are subject to change without notice



BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-45B-45B 45mm to 45mm Octagon T-Clamp Bracket Assembly





Specifications:

Max. Static Clamp Load:
45mm: 475 Nm [350 ft-lb]

Material: Aluminum

Features:

- Connects (2) 45mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Model Number	Weight
CPI-TCA-45B-45B	.95 kg [2.09 lb]

Dimensions and technical information are subject to change without notice

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-45B-60B 45mm to 60mm Octagon T-Clamp Bracket Assembly

Features:

- Connects 45mm and 60mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Specifications:

Max. Static Clamp Load:

60mm: 746 Nm [550 ft-lb]

45mm: 475 Nm [350 ft-lb]

Material: Aluminum




Model Number	Weight
CPI-TCA-45B-60B	1.21 kg [2.67lb]

Dimensions and technical information are subject to change without notice



BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-45B-25M 45mm Octagon to 25mm Round T-Clamp Bracket Assembly



Specifications:

Max. Static Clamp Load:



45mm: 475 Nm [350 ft-lb]

25mm: 271 Nm [200 ft-lb]

Material: Aluminum

Features:

- Connects 45mm octagon and 25mm round perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Model Number	Weight
CPI-TCA-45B-25M	.89 kg [1.97lb]

Dimensions and technical information are subject to change without notice

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications


TCA-60B-30B 60mm to 30mm octagon T-Clamp Bracket Assembly

Features:






- Connects 60mm and 30mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.

Specifications:

Max. Static Clamp Load:
 60mm: 746 Nm [550 ft-lb]
 30mm: 271 Nm [200 ft-lb]
Material: Aluminum



ALIGNMENT NUTS INCLUDED



Model Number	Weight
CPI-TCA-60B-30B	1.32 kg [2.91 lb]

Dimensions and technical information are subject to change without notice



BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-60B-45B 60mm to 45mm octagon T-Clamp Bracket Assembly



Specifications:

Max. Static Clamp Load:


60mm: 746 Nm [550 ft-lb]

45mm: 475 Nm [350 ft-lb]

Material: Aluminum

Features:

- Connects 60mm and 45mm octagon extrusion perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Model Number	Weight
CPI-TCA-60B-45B	1.45 kg [3.20 lb]

Dimensions and technical information are subject to change without notice

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications





TCA-60B-60B 60mm to 60mm octagon T-Clamp Bracket Assembly

Features:

- Connects (2) 60mm octagon extrusions perpendicular on the same plane.
- Lightweight, high-strength aluminum design.

Specifications:

Max. Static Clamp Load:
60mm: 746 Nm [550 ft-lb]
Material: Aluminum




Model Number	Weight
CPI-TCA-60B-60B	1.77 kg [3.90 lb]

Dimensions and technical information are subject to change without notice



BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-60B-25M 60mm Octagon to 25mm Round T-Clamp Bracket Assembly




Specifications:

Max. Static Clamp Load:
 60mm: 746 Nm [550 ft-lb]
 30mm: 271 Nm [200 ft-lb]
Material: Aluminum

Features:

- Connects 60mm octagon and 25mm round perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Model Number	Weight
CPI-TCA-60B-25M	1.25 kg [2.76 lb]

Dimensions and technical information are subject to change without notice

BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-25M-45B 25mm Round to 45mm Octagon T-Clamp Brackets Assembly

Features:

- Connects 25mm round and 45mm octagon perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



Specifications:

Max. Static Clamp Load:


45mm: 475 Nm [350 ft-lb]

25mm: 271 Nm [200 ft-lb]


Material: Aluminum



Can be configured as a connector between booms for added stability



ALIGNMENT NUT INCLUDED




Model Number	Weight
CPI-TCA-25M-45B	.57 kg [1.26 lb]

Dimensions and technical information are subject to change without notice



BodyBuilder™ Octagonal Tooling | Dimensions | Technical Specifications

TCA-25M-60B 25mm Round to 60mm Octagon T-Clamp Bracket Assembly




Specifications:


Max. Static Clamp Load:
 60mm: 746 Nm [550 ft-lb]
 25mm: 271 Nm [200 ft-lb]
Material: Aluminum

Features:


- Connects 25mm round and 60mm octagon perpendicular on the same plane.
- Lightweight, high-strength aluminum design.



ALIGNMENT NUT INCLUDED



Can be configured as a connector between booms for added stability



Model Number	Weight
CPI-TCA-25M-60B	.85 kg [1.87 lb]

Dimensions and technical information are subject to change without notice